# 🛟 eurofins

## Environment Testing America

## **ANALYTICAL REPORT**

Eurofins Edison 777 New Durham Road Edison, NJ 08817 Tel: (732)549-3900

## Laboratory Job ID: 460-259055-1

Client Project/Site: Traveling Tots, Inc - 1406

### For:

Traveling Tots, Inc. - 1406 1406 Springfield Avenue Irvington, New Jersey 07111

Attn: Ms. Tracey Porter

miller

Authorized for release by: 6/8/2022 9:16:49 AM

Jill Miller, Senior Project Manager (484)685-0871 Jill.Miller@et.eurofinsus.com



<section-header><text><text><text><text><text>

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

#### Job ID: 460-259055-1

#### Laboratory: Eurofins Edison

#### Narrative

Job Narrative 460-259055-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 5/31/2022 11:25 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.4° C.

#### Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

## Sample Summary

Water

05/31/22 09:07 05/31/22 11:25

Client: Traveling Tots, Inc. - 1406 Project/Site: Traveling Tots, Inc - 1406

460-259055-5 PRE K5 HWS Classroom 5

3
5

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-259055-1	PR-K4 HWS BR 1	Water	05/31/22 09:00	05/31/22 11:25
460-259055-2	PR-K5 HWS BR 2	Water	05/31/22 09:02	05/31/22 11:25
460-259055-3	PR-K5 HWS BR 3	Water	05/31/22 09:03	05/31/22 11:25
460-259055-4	PRE K4 HWS Class 4	Water	05/31/22 09:05	05/31/22 11:25

## **Client Sample Results**

Client: Traveling Tots, Inc. - 1406 Project/Site: Traveling Tots, Inc - 1406 Job ID: 460-259055-1

Client Sample ID: PR-K4 HWS Date Collected: 05/31/22 09:00 Date Received: 05/31/22 11:25	BR 1					La	ib Sample		)-259055-' latrix: Wate
Method: 200.8 - Metals (ICP/MS)						_			
Analyte		Qualifier			Unit	<u>D</u>	Analyzed		Analyst
Copper	200		2.5		ug/L		06/07/22 18:21		YZH
Lead	0.25	U	2.0	0.25	ug/L		06/07/22 18:21	1	YZH
Client Sample ID: PR-K5 HWS Date Collected: 05/31/22 09:02 Date Received: 05/31/22 11:25	BR 2					La	b Sample		)-259055-2 latrix: Wate
Method: 200.8 - Metals (ICP/MS)	Booult	Qualifier	Ы	MDI	Unit	D	Applyzod		Analyst
Analyte Copper	176				Unit ug/L		Analyzed 06/07/22 18:23		Analyst YZH
	176		2.5 2.0		ug/L ug/L		06/07/22 18:23		YZH
Lead	19.0		2.0	0.25	ug/L		00/01/22 10.23	I	
Date Collected: 05/31/22 09:03 Date Received: 05/31/22 11:25 	Result	Qualifier	RL	MDI	Unit	D	Analyzed		latrix: Wate
Copper	145		2.5		ug/L		06/07/22 18:26		YZH
Lead	2.3		2.0		ug/L		06/07/22 18:26		YZH
-			2.0	0.20	ug/L				
Client Sample ID: PRE K4 HW Date Collected: 05/31/22 09:05 Date Received: 05/31/22 11:25	S Cla	ss 4				La	ib Sample		)-259055- Iatrix: Wate
Method: 200.8 - Metals (ICP/MS) Analyte	Result	Qualifier	RL	MDL	Unit	D	Analyzed	Dil Fac	Analyst
Copper	220		2.5	1.7	ug/L		06/07/22 18:28		YZH
Lead	1.5	J	2.0	0.25	ug/L		06/07/22 18:28	1	YZH
- Client Sample ID: PRE K5 HW Date Collected: 05/31/22 09:07 Date Received: 05/31/22 11:25	S Cla	ssroom 5				La	b Sample		)-259055- Iatrix: Wate
Method: 200.8 - Metals (ICP/MS)	Desult	Qualifia	D'	MD	l luit	-	Analizzat		Analyst
Analyte Copper		Qualifier				D	Analyzed		Analyst YZH
Lopper	188		2.5	1.7	ug/L		06/07/22 18:30	1	ĭ∠H
Lead	1.4		2.0	0.05	ug/L		06/07/22 18:30	4	YZH

## Accreditation/Certification and Definitions Summary

Client: Traveling Tots, Inc. - 1406 Project/Site: Traveling Tots, Inc - 1406 Job ID: 460-259055-1

3 4 5

#### Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-22
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-01-23
Georgia	State	12028 (NJ)	06-30-22
Massachusetts	State	M-NJ312	06-30-23
New Jersey	NELAP	12028	06-30-22
New York	NELAP	11452	04-01-23
Pennsylvania	NELAP	68-00522	02-28-23
Rhode Island	State	LAO00376	12-31-22
USDA	US Federal Programs	P330-20-00244	11-03-23

#### Qualifiers

Metals	
Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
1C	Result is from the primary column on a dual-column method.
2C	Result is from the confirmation column on a dual-column method.
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)

## Accreditation/Certification and Definitions Summary

Client: Traveling Tots, Inc. - 1406 Project/Site: Traveling Tots, Inc - 1406 Job ID: 460-259055-1

## **Glossary (Continued)**

These commonly used abbreviations may or may not be present in this report.	
Reporting Limit or Requested Limit (Radiochemistry)	
Relative Percent Difference, a measure of the relative difference between two points	5
Toxicity Equivalent Factor (Dioxin)	J
Toxicity Equivalent Quotient (Dioxin)	
Too Numerous To Count	•
	Reporting Limit or Requested Limit (Radiochemistry) Relative Percent Difference, a measure of the relative difference between two points Toxicity Equivalent Factor (Dioxin) Toxicity Equivalent Quotient (Dioxin)

Client: Traveling Tots, Inc. - 1406 Project/Site: Traveling Tots, Inc - 1406

5
6

Method	Method Description	Protocol	Laboratory	
200.8	Metals (ICP/MS)	EPA	TAL EDI	
200	Preparation, Metals	EPA	TAL EDI	
Protocol F	References:			5
EPA =	US Environmental Protection Agency			6
Laborator	y References:			
TAL ED	0I = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900			

Curofins Environment Testing America	COC No:			For Lab Use Only:	Walk-in Client:	Lab Sampling:			Sample Specific Notes:		- 11	e	×	-27				A		ained longer than 1 month)		for Months		Therm ID No.:	Date/Time: 2 2 1/25	Date/Time:	Date/Time:
625347	Date.	Carrier.																460-259055 Chain of Custody		Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)		Disposal by Lab	4.0 /4 4	(°C): Obs'd: Corr'd:	Company:	Company:	Company:
of Custo	DESRCRAOther:	I ab Contact	P	דפרי		18		W / S	Filtered Sa		~~~	×	×	A							the	Return to Client		Cooler Temp. (°	22 Referred by:	Received by:	Received in Laboratory by:
			Analysis Turnaround Time	YS DAYS	TAT if different from Below	2 weeks	1 week	2 days 1 day	Sample Sample   Type Type   (c=comp. # of   ne G=Grab)	9	50	B		1 Am G WATEN					ler		Please List any EPA Waste Codes for the sample in the	Unknown			Date/Nime/	Date/Tine:	Date/Time:
Doctor Droctom.	Project Manager:	Te T.)-// Tel/Email:	Analys	CALENDAR DAYS	TAT if diffe		1406		Sample Sample Date Time	5/31/97 9:00 AM	5/31/22 9:02AM	5/21/21 9:03 MI	5/22 9:05 Am	5/31/22 9:07 Am		_			NO3; 5=NaOH; 6= Oth		Please List any EPA W	ant Doison B		Custody Seal No.:	Company:	Company:	Company:
Address:	Client Contact	F	19	City/State/Zip: IRUING. NJ. 07/11	e: 973-371- 8087	1	I raveling 1015 Juc-	P.O.#	Sample Identification	Pro-164 HWIS RO 1	HWS i	BR	Pre K4 . HWS Class 4	Preles HWS Classroom 5	fQ				Preservation Used: 1= Ice, 2= HCI; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other	Possible Hazard Identification:	Are any samples from a listed EPA Hazardous Waste? Comments Section if the lab is to dispose of the sample.	On-Hazard Elammable Skin Irritant	Special Instructions/QC Requirements & Comments:	Custody Seals Intact:	Relinquished by:	Relinquished by:	elinquished by:

		`		Eurof Receipt	ins Test : Tempe	America rature al	Eurofins TestAmerica Edison Receipt Temperature and pH Log	_ 60					Page	of
Job Number:	2591.52				e									
Number of Coolers:			IR Gun #		t									
				ů	<b>Cooler Temperatures</b>	mpera	tures		and the second					
	RAW COR				RAW	CORRECTED				RAW	CORRECTED			
C0016L #1:	2 2 2 2 2 2		5	Cooler #4:	Ŷ	6		ຮັ	Cooler #7:	2	9			
Cooler #2:	2 2		Ŭ	Cooler #5:	ę	Q		ŏ	Cooler #8:	8	8			
Cooler #3:	3: 2		Ŭ	Cooler #6:	Q	Q		ö	Cooler #9:	Q	Q			
	Ammonia COD	Nitrate Nitrite	* Motals	Hardness	Peet	EPH or DAM	Phenole	Sulfide	TKN	TOC	Total	Total	Othor	Othor
					5	}				2	an index			
TALS Sample Number	(pH<2) (pH<2)	(pH<2)	(pH<2)	(pH<2)	(pH 5-9)	(pH<2)	(pH<2)	(PH>9)	(pH<2)	(pH<2)	(pH>12)	(pH<2)		
			Ś											
2			2											
2			<											
			5											
-,			Ŋ.			T		Ť	T	T	T	T	T	
2			27											
									Γ					
								Γ						
							T	T	Τ	Τ		T		
				T		T	T	Ť	Τ	T	T	T		
				T	T		T	T	Τ	Τ	T	T	Τ	
	If pH adjustments are required record the information below:	are requir	ed record	the infor	mation be	low:								
Sample No(s). adjusted:	. adjusted:													
Preservative Name/Conc.:	ame/Conc.:				Volur	ne of Pres	Volume of Preservative used (ml):	sed (ml):						
I of # of Preservative(s)	ervative(s).						Evnirati	Evniration Date:						
	le at	iate Proje	st Manage	r and Depi	artment Ma	anager sho	ould be not	ified abou	t the sam	oles which	were pH	adjusted.		
	* San	ples for M	etal analys	sis which a	ire out of c	ompliance	Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.	scidified at	fleast 24	hours prio	r to analys	is.		
EDS-WI-038, Rev 4.1		2	20 M	1				V	21	ç				
019	Initials.		-				Date	-	+					

Page 9 of 9

6/8/2022